



Attestation of Conformity

No. N8AUK 077653 0407 Rev. 00

Holder of Certificate: Dong Guan City GangQi **Electronic Co., Ltd.** Privately Operated Industrial District, ShiYong

532600 Heng Li Town, Dong Guan, Guangdong PEOPLE'S REPUBLIC OF CHINA

Product:

Adaptors (SWITCHING ADAPTER)

This Attestation of Conformity is issued on a voluntary basis according to the Electrical Equipment (Safety) Regulations 2016 relating to electrical equipment designed for use within certain voltage limits. It confirms that the listed equipment complies with the principal protection requirements of the regulations and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for testing and certification. For details see: www.tuvsud.com/ps-cert

Test report no.:

64210190423703

Date,

2021-04-21

his (Michael Xu)

Page 1 of 2 After preparation of the necessary UK regulation technical documentation as well as the UK declaration of conformity the required UKCA marking can be affixed on the product. Other applicable UK regulations have to be observed.

UK CA



Attestation of Conformity

No. N8AUK 077653 0407 Rev. 00

Model(s):

GQ07-xxxyyy-wz, GQ07-050yyy-Wbu (xxx = 030-240 denotes output voltage 3.0-24.0V in step 0.1V. yyy = 001-150 denotes output current 0.01-1.50A in step 0.01A. w = A or D to denotes different top enclosure, A without decorative pattern, D with decorative pattern. z = B, X denote differently plug type, B denote British plug, X denote changeable plug. The model GQ07-050yyywBU denote output with USB terminal, and the model GQ07-xxxyyy-wz denote output with DC wire. Changeable plug is only for models GQ07-xxxyyywz.)

Brand:

3YE



Parameters:

Rated Input: 100-240VAC, 50/60Hz, 0.3A Max Rated Output: See below table for details Protection Class: II Degree of Protection: IP20

Model	Output Voltage (VDC)	Output Current (A)	Max. Output Power (W)
GQ07-050yyy-wBU	5.0	0.01-1.50	7.5
GQ07-xxxyyy-wz	3.0-6.0	0.01-1.50	7.5
	6.1-12.0	0.01-1.20	7.5
	12.1-16.0	0.01-0.60	7.5
	16.1-24.0	0.01-0.46	7.5

Tested according to:

EN 62368-1:2014/A11:2017 EN IEC 61558-1:2019 EN 61558-2-16:2009/A1:2013

Page 2 of 2

After preparation of the necessary UK regulation technical documentation as well as the UK declaration of conformity the required UKCA marking can be affixed on the product. Other applicable UK regulations have to be observed.